Author index

Absood, A., see Bjartell, A., 27

Amenta, F., Cavalotti, C., Collier, W. L., Ferrante, F., Geppetti, P. and Ricci, A., Autoradiographic localization of vasoactive intestinal polypeptide receptors in the rat mesenteric vascular tree, 9

Bernard, C., see Cuber, J.-C., 203

Bjartell, A., Persson, P., Absood, A., Sundler, F. and Håkanson, R., Helodermin-like peptides in noradrenaline cells of adrenal medulla, 27

Bloom, S. R., see Fried, M., 305 Burhol, P. G., see Hvidsten, D., 267

Cauvin, A., Robberecht, P., 117

Cavallotti, C., see Amenta, F., 9

Chayvialle, J.-A., see Cuber, J.-C., 203 Christophe, J., see Robberecht, P., 117

Collier, W. L., see Amenta, F., 9

Cordova, J. L., see Too, H.-P., 93

Cox, H. M. and Cuthbert, A. W., Secretory actions of vasoactive intestinal polypeptide, peptide histidine isoleucine and helodermin in rat small intestine: the effects of putative VIP antagonists upon VIP-induced ion secretion, 127

Coy, D. H., see Robberecht, P., 117

Cuber, J.-C., Bernard, C., Gibard, T. and Chayvialle, J.-A., Pharmacokinetics and organ catabolism of cholecystokinin octapeptide in pigs, 203

Cuthbert, A. W., see Cox, H. M., 127

De Angela, P., see Moyse, E., 225

De Jong, A. J. L., Hafkenscheid, J. C. M. and Jansen, J. B. M. J., Effect of immunoneutralisation of cholecystokinin on bombesin-stimulated pancreatic enzyme secretion in the rat, Lamers, C. B. H. W.

De Neef, P., see Robberecht, P., 117 Dockray, G. J., see Watkinson, A., 313

Eklund, S., Karlström, L., Rökaeus, A., Theodorsson-Norheim, E., Jodal, M. and

Lundgren, O., Effects of cholera toxin, Escherichia coli heat stable toxin and sodium deoxycholate on neurotensin release from the ileum in vivo, 241

Ekman, R., see Sheikh, S. P., 253 Epelbaum, J., see Moyse, E., 225

Fahrenkrug, J., Ottesen, B. and Palle, C., Nonamidated forms of VIP (glycine-extended and VIP-free acid) have full bioactivity on smooth muscle, 253

Ferrante, F., see Amenta, F., 9

Fischer-Colbrie, R., see Laslop, A., 191

Fried, M., Mayer, E. A., Bloom, S. R., Taylor, I. L. and Meyer, J. H., GIP and insulin release in relation to gastric emptying of a mixed meal in man, 305

Gehrig, C. A., see Weinberger, S. B., 323

Geppetti, P., see Amenta, F., 9

Gibard, T., see Cuber, J.-C., 203

Gourlet, P., see Robberecht, P., 117

Guo, Y.-S., Thompson, J. C. and Singh, P., Role of protein kinase C and phosphorylation in bombesin-evoked gastrin release from isolated perfused rat stomach, 19

Hafkenscheid, J. C. M., see De Jong, A. J. L.

Holst, J. J., see Sheikh, S. P., 253

Holzer, P., see Lippe, I. T., 35

Humpel, C., see Saria, A., 215

Humpel, Ch., see Laslop, A., 191

Hvidsten, D., Lindsetmo, R.O., Røkke, O., Jenssen, T. G., Burhol, P. G. and Revhaug, A., Clearance of vasoactive intestinal polypeptide (VIP) in the porcine pulmonary circulation,

Håkanson, R., see Bjartell, A., 27

Jansen, J. B. M. J., see De Jong, A. J. L. Jenssen, T. G., see Hvidsten, D., 267 Jodal, M., see Eklund, S., 241

Author index

Absood, A., see Bjartell, A., 27

Amenta, F., Cavalotti, C., Collier, W. L., Ferrante, F., Geppetti, P. and Ricci, A., Autoradiographic localization of vasoactive intestinal polypeptide receptors in the rat mesenteric vascular tree, 9

Bernard, C., see Cuber, J.-C., 203

Bjartell, A., Persson, P., Absood, A., Sundler, F. and Håkanson, R., Helodermin-like peptides in noradrenaline cells of adrenal medulla, 27

Bloom, S. R., see Fried, M., 305 Burhol, P. G., see Hvidsten, D., 267

Cauvin, A., Robberecht, P., 117

Cavallotti, C., see Amenta, F., 9

Chayvialle, J.-A., see Cuber, J.-C., 203 Christophe, J., see Robberecht, P., 117

Collier, W. L., see Amenta, F., 9

Cordova, J. L., see Too, H.-P., 93

Cox, H. M. and Cuthbert, A. W., Secretory actions of vasoactive intestinal polypeptide, peptide histidine isoleucine and helodermin in rat small intestine: the effects of putative VIP antagonists upon VIP-induced ion secretion, 127

Coy, D. H., see Robberecht, P., 117

Cuber, J.-C., Bernard, C., Gibard, T. and Chayvialle, J.-A., Pharmacokinetics and organ catabolism of cholecystokinin octapeptide in pigs, 203

Cuthbert, A. W., see Cox, H. M., 127

De Angela, P., see Moyse, E., 225

De Jong, A. J. L., Hafkenscheid, J. C. M. and Jansen, J. B. M. J., Effect of immunoneutralisation of cholecystokinin on bombesin-stimulated pancreatic enzyme secretion in the rat, Lamers, C. B. H. W.

De Neef, P., see Robberecht, P., 117 Dockray, G. J., see Watkinson, A., 313

Eklund, S., Karlström, L., Rökaeus, A., Theodorsson-Norheim, E., Jodal, M. and

Lundgren, O., Effects of cholera toxin, Escherichia coli heat stable toxin and sodium deoxycholate on neurotensin release from the ileum in vivo, 241

Ekman, R., see Sheikh, S. P., 253 Epelbaum, J., see Moyse, E., 225

Fahrenkrug, J., Ottesen, B. and Palle, C., Nonamidated forms of VIP (glycine-extended and VIP-free acid) have full bioactivity on smooth muscle, 253

Ferrante, F., see Amenta, F., 9

Fischer-Colbrie, R., see Laslop, A., 191

Fried, M., Mayer, E. A., Bloom, S. R., Taylor, I. L. and Meyer, J. H., GIP and insulin release in relation to gastric emptying of a mixed meal in man, 305

Gehrig, C. A., see Weinberger, S. B., 323

Geppetti, P., see Amenta, F., 9

Gibard, T., see Cuber, J.-C., 203

Gourlet, P., see Robberecht, P., 117

Guo, Y.-S., Thompson, J. C. and Singh, P., Role of protein kinase C and phosphorylation in bombesin-evoked gastrin release from isolated perfused rat stomach, 19

Hafkenscheid, J. C. M., see De Jong, A. J. L.

Holst, J. J., see Sheikh, S. P., 253

Holzer, P., see Lippe, I. T., 35

Humpel, C., see Saria, A., 215

Humpel, Ch., see Laslop, A., 191

Hvidsten, D., Lindsetmo, R.O., Røkke, O., Jenssen, T. G., Burhol, P. G. and Revhaug, A., Clearance of vasoactive intestinal polypeptide (VIP) in the porcine pulmonary circulation,

Håkanson, R., see Bjartell, A., 27

Jansen, J. B. M. J., see De Jong, A. J. L. Jenssen, T. G., see Hvidsten, D., 267 Jodal, M., see Eklund, S., 241

Kanemura, T., Tamaoki, J., Sakai, N., Kobayashi, K. and Takizawa, T., The effect of N-formylmethionyl-leucyl-phenylalanine on cholinergic neurotransmission and its modulation by enkephalinase in rabbit airway smooth muscle, 107

Karlström, L., see Eklund, S., 241 Kobayashi, K., see Kanemura, T., 107 Kordon, C., see Moyse, E., 225 Kryger-Baggesen, N., see Nexo, E., 1

Laslop, A., Wolhfarter, R., Fischer-Colbrie, R., Steiner, H. J., Humpel, Ch., Saria, A., Schmid, K. W., Sperk, G. and Winkler, H., Insulin hypoglycemia increases the levels of neuropeptide Y and calcitonin gene-related peptide, but not of chromogranins A and B, in rat chromaffin granules, 191

Lindsetmo, R. O., see Hvidsten, D., 267

Lippe, I. T., Lorbach, M. and Holzer, P., Close arterial infusion of calcitonin gene-related peptide into rat stomach inhibits aspirin- and ethanol-induced hemorrhagic damage, 35

Lorbach, M., see Lippe, I. T., 35 Lundgren, O., see Eklund, S., 241

 Maggio, J. E., see Too, H.-P., 93
 Mailliard, M. E. and Wolfe, M. M., Effect of antibodies to the neuropeptide GRP on distension-induced gastric acid secretion in the

Marksteiner, J., see Saria, A., 215 Martinez, Jr., J. L., see Weinberger, S. B., 323

Mayer, E. A., see Fried, M., 305 Meyer, J. H., see Fried, M., 305

rat, 287

Moyse, E., Slama, A., Videau, C., De Angela, P., Kordon, C. and Epelbaum, J., Regional distribution of somatostatin receptor affinity states in rat brain: effects of divalent cations and GTP, 225

Nexø, E. and Kryger-Baggesen, N., The receptor for epidermal growth factor is present in human fetal kidney, liver and lung, 1

Orskov, C., see Sheikh, S. P., 253 Ottesen, B., see Fahrenkrug, J., 253

Palle, C., see Fahrenkrug, J., 253
Persson, P., see Bjartell, A., 27
Premen, A. J., Renal hemodynamic response to galanin: importance of elevated plasma glucose, 277

Revhaug, A., see Hvidsten, D., 267

Ricci, A., see Amenta, F., 9

Robberecht, P., De Neef, P., Gourlet, P., Cauvin, A., Coy, D. H. and Christophe, J., Pharmacological characterization of the novel helodermin/VIP receptor present in human SUP-T1 lymphoma cell membranes, 117

Røkke, O., see Hvidsten, D., 267 Rökaeus, Å., see Eklund, S., 241

Sakai, N., see Kanemura, T., 107
 Saria, A., Marksteiner, J., Humpel, C. and Sperk,
 G., Pronounced increases in brain levels of calcitonin gene-related peptide after kainic

acid induced seizures, 215
Saria, A., see Laslop, A., 191

Schmid, K. W., see Laslop, A., 191 Schwartz, T. W., see Sheikh, S. P., 253

Sheikh, S. P., Holst, J. J., Orskov, C., Ekman, R. and Schwartz, T. W., Release of PYY from pig intestinal mucosa; luminal and neural regulation. 253

Singh, P., see Guo, Y.-S., 19 Slama, A., see Moyse, E., 225 Sperk, G., see Laslop, A., 191 Sperk, G., see Saria, A., 215 Steiner, H. J., see Laslop, A., 191 Sundler, F., see Bjartell, A., 27

Takizawa, T., see Kanemura, T., 107 Tamaoki, J., Kanemura, T., 107 Taylor, I. L., see Fried, M., 305

Theodorsson-Norheim, E., see Eklund, S., 241 Thompson, J. C., see Guo, Y.-S., 19

Too, H.-P., Cordova, J. L. and Maggio, J. E., A novel radioimmunoassay for neuromedin K. I. Absence of neuromedin K-like immunoreactivity in guinea pig ileum and urinary bladder. II. Heterogeneity of tachykinins in guinea pig tissues, 93

Videau, C., see Moyse, E., 225

Watkinson, A. and Dockray, G. J., Identification and characterization of N-glycosylated and phosphorylated variants of proenkephalin A-derived peptides in bovine adrenal medulla, spinal cord and ileum, 313

Weinberger, S. B., Gehrig, C. A. and Martinez, Jr., J. L., DPen2-[DPen5]enkephalin, a delta opioid, receptor-selective analog of [Leu]enkephalin, impairs avoidance learning in an automated shelf-jump task in rats, 323

Winkler, H., see Laslop, A., 191 Wohlfarter, R., see Laslop, A., 191 Wolfe, M. M., see Mailliard, M. E., 287

Key word index

- Acid secretion, Gastric distension, Gastrin releasing peptide, 287
- Adrenal medulla, Helodermin-like peptide, Immunocytochemistry, Radioimmunoassay, High performance liquid chromatography, 27
- Adrenal medulla, Neuropeptide, Regulation of neuropeptide, Biosynthesis, 191
- Adrenal, Opioid peptides, Proenkephalin A, Phosphorylation, Glycosylation, Spinal cord, Ileum, 313
- Airway smooth muscle, Chemotactic peptide, N-Formyl-methionyl-leucyl-phenylalanine, Cholinergic neurotransmission, Enkephalinase, 107
- Amidation, Motility, Peptide precursor, Smooth muscle, Vasoactive intestinal peptide, 235
- Arteriovenous difference, First pass uptake, Indocyanine green, Plasma concentration, Pig, Lung, 267
- Automated avoidance conditioning, [Leu]enkephalin, DPen2-[DPen5]enkephalin, Rats, 323
- Autoradiography, Vasoactive intestinal polypeptide; Mesenteric artery, Rat, Receptor, 9
- Biochemical characterization, Gastrointestinal hormones, Parasympathetic stimulation, Ileum, 253
- Biosynthesis, Adrenal medulla, Neuropeptide, Regulation of neuropeptide, 191
- Bombesin, Cholecystokinin, Pancreas, Enzyme, Immunoneutralisation, Radioimmunoassay, 297
- Bombesin, Protein kinase C, Isolated rat stomach, Phosphorylation, 19
- Brain edema, Calcitonin gene-related peptide, Kainic acid, Brain, Epilepsy, Mannitol, 215
- Brain, Calcitonin gene-related peptide, Kainic acid, Epilepsy, Brain edema, Mannitol, 215
- Calcitonin, gene-related peptide, Kainic acid, Brain, Epilepsy, Brain edema, Mannitol, 215
- Chemotactic peptide, N-Formyl-methionyl-leucylphenylalanine, Cholinergic neurotransmis-

- sion, Airway smooth muscle, Enkephalinase, 107
- Cholecystokinin octapeptide, Pig, Pharmacokinetics, Organ catabolism, 203
- Cholecystokinin, Bombesin, Pancreas, Enzyme, Immunoneutralisation, Radioimmunoassay, 297
- Cholera toxin, Escherichia coli heat stable toxin, Sodium deoxycholate, Enteric nervous system, Neurotensin, Neurotensin-like immunoreactivity, 241
- Cholinergic neurotransmission; Chemotactic peptide, N-Formyl-methionyl-leucyl-phenylalanine, Airway smooth muscle, Enkephalinase, 107
- Enkephalinase, Chemotactic peptide, N-Formylmethionyl-leucyl-phenylalanine, Cholinergic neurotransmission, Airway smooth muscle, 107
- Enteric nervous system, Cholera toxin, Escherichia coli heat stable toxin, Sodium deoxycholate, Neurotensin, Neurotensin-like immunoreactivity, 241
- Enzyme, Bombesin, Cholecystokinin, Pancreas, Immunoneutralisation, Radioimmunoassay, 297
- Epidermal growth factor, Fetal, Human, Kidney, Liver, Lung, Placenta, Receptor, 1
- Epilepsy, Calcitonin gene-related peptide, Kainic acid, Brain, Brain edema, Mannitol, 215
- Escherichia coli heat stable toxin, Cholera toxin, Sodium deoxycholate, Enteric nervous system, Neurotensin, Neurotensin-like immunoreactivity, 241
- Fetal, Epidermal growth factor, Human, Kidney, Liver, Lung, Placenta, Receptor, 1
- First pass uptake, Indocyanine green, Arteriovenous difference, Plasma concentration, Pig, Lung, 267
- N-Formyl-methionyl-leucyl-phenylalanine, Chemotactic peptide, Cholinergic neurotransmis-

- sion, Airway smooth muscle, Enkephalinase, 107
- Galanin, Renal blood flow, Glomerular filtration rate, Kidney, Vasoactive agents, 277
- Gastric distension, Acid secretion, Gastrin releasing peptide, 287
- Gastric emptying, Insulin release, 305
- Gastric mucosal protection, Rat gastric mucosa, Hemorrhagic lesion formation, Gastric mucosal blood flow, Primary afferent neuron, 35
- Gastric mucosal blood flow, Rat gastric mucosa, Hemorrhagic lesion formation, Gastric mucosal protection, Primary afferent neuron, 35
- Gastrin releasing peptide, Gastric distension, Acid secretion, 287
- Gastrointestinal epithelia, Ion secretion, Growth hormone release factor, 127
- Gastrointestinal hormones, Parasympathetic stimulation, Biochemical characterization, Ileum, 253
- Glomerular filtration rate, Galanin, Renal blood flow, Kidney, Vasoactive agents, 277
- Glycosylation, Opioid peptides, Proenkephalin A, Phosphorylation, Adrenal, Spinal cord, Ileum, 313
- Growth hormone release factor, Gastrointestinal epithelia, Ion secretion, 127
- GTP, Magnesium ion, Somatostatin binding sites, Regional distribution, Rat brain, 225
- Helodermin, Vasoactive intestinal peptide, Human SUP-T1 lymphoma, 117
- Helodermin-like peptide, Adrenal medulla, Immunocytochemistry, Radioimmunoassay, High performance liquid chromatography, 27
- Hemorrhagic lesion formation, Rat gastric mucosa, Gastric mucosal protection, Gastric mucosal blood flow, Primary afferent neuron, 35
- High performance liquid chromatography, Helodermin-like peptide, Adrenal medulla, Immunocytochemistry, Radioimmunoassay, 27
- Human, Epideraml growth factor, Fetal, Kidney, Liver, Lung, Placenta, Receptor, 1
- Human SUP-T1 lymphoma, Vasoactive intestinal peptide, Helodermin, 117
- Ileum, Gastrointestinal hormones, Parasympathetic stimulation, Biochemical characterization, 253

- Ileum, Opioid peptides, Proenkephalin A, Phosphorylation, Glycosylation, Adrenal, Spinal cord. 313
- Immunocytochemistry, Helodermin-like peptide, Adrenal medulla, Radioimmunoassay, High performance liquid chromatography, 27
- Immunoneutralisation, Bombesin, Cholecystokinin, Pancreas, Enzyme, Radioimmunoassay, 297
- Indocyanine green, First pass uptake, Arteriovenous difference, Plasma concentration, Pig, Lung, 267
- Insulin release, Gastric emptying, 305
- Ion secretion, Gastrointestinal epithelia, Growth hormone release factor, 127
- Isolated rat stomach, Bombesin, Protein kinase C, Phosphorylation, 19
- Kainic acid, Calcitonin gene-related peptide, Brain, Epilepsy, Brain edema, Mannitol, 215
- Kidney, Epidermal growth factor, Fetal, Human, Liver, Lung, Placenta, Receptor, 1
- Kidney, Galanin, Renal blood flow, Glomerular filtration rate, Vasoactive agents, 277
- [Leu]enkephalin, DPen2-[DPen5]enkephalin, Automated avoidance conditioning, Rats, 323
- Liver, Epidermal growth factor, Fetal, Human, Kidney, Lung, Placenta, Receptor, 1
- Lung, Epidermal growth factor, Fetal, Human, Kidney, Liver, Placenta, Receptor, 1
- Lung, First pass uptake, Indocyanine green, Arteriovenous difference, Plasma concentration, Pig, 267
- Magnesium ion, Somatostatin binding sites, Regional distribution, Rat brain, GTP, 225
- Mannitol, Calcitonin gene-related peptide, Kainic acid, Brain, Epilepsy, Brain edema, 215
- Mesenteric artery, Vasoactive intestinal polypeptide, Rat, Autoradiography, Receptor, 9
- Motility, Amidation, Peptide precursor, Smooth muscle, Vasoactive intestinal peptide, 235
- Neurokinin, Tachykinin, Substance P, Substance K, Neuromedin K, Radioimmunoassay, 93
- Neuromedin K, Tachykinin, Neurokinin, Substance P, Substance K, Radioimmunoassay, 93
- Neuropeptide, Adrenal medulla, Regulation of neuropeptide, Biosynthesis, 191
- Neurotensin, Cholera toxin, Escherichia coli heat stable toxin, Sodium deoxycholate, Enteric

- nervous system, Neurotensin-like immunoreactivity, 241
- Neurotensin-like immunoreactivity, Cholera toxin, Escherichia coli heat stable toxin, Sodium deoxycholate, Enteric nervous system, Neurotensin, 241
- Opioid peptides, Proenkephalin A, Phosphorylation, Glycosylation, Adrenal, Spinal cord, Ileum, 313
- Organ catabolism, Pig, Cholecystokinin octapeptide, Pharmacokinetics, 203
- Pancreas, Bombesin, Cholecystokinin, Enzyme, Immunoneutralisation, Radioimmunoassay, 297
- Parasympathetic stimulation, Gastrointestinal hormones, Biochemical characterization, Ileum, 253
- DPen2-[DPen5]enkephalin, [Leu]enkephalin, Automated avoidance conditioning, Rats, 323
- Peptide precursor, Amidation, Motility, Smooth muscle, Vasoactive intestinal peptide, 235
- Pharmacokinetics, Pig, Cholecystokinin octapeptide, Organ catabolism, 203
- Phosphorylation, Bombesin, Protein kinase C, Isolated rat stomach, 19
- Phosphorylation, Opioid peptides, Proenkephalin A, Glycosylation, Adrenal, Spinal cord, Ileum, 313
- Pig, Cholecystokinin octapeptide, Pharmacokinetics, Organ catabolism, 203
- Pig, First pass uptake, Indocyanine green, Arteriovenous difference, Plasma concentration, Lung, 267
- Placenta, Epidermal growth factor, Fetal, Human, Kidney, Liver, Lung, Receptor, 1
- Plasma concentration, First pass uptake, Indocyanine green, Arteriovenous difference, Pig, Lung, 267
- Primary afferent neuron, Rat gastric mucosa, Hemorrhagic lesion formation, Gastric mucosal protection, Gastric mucosal blood flow, 35
- Proenkephalin A, Opioid peptides, Phosphorylation, Adrenal, Spinal cord, Ileum, 313
- Protein kinase C, Bombesin, Isolated rat stomach, Phosphorylation, 19
- Radioimmunoassay, Bombesin, Cholecystokinin, Pancreas, Enzyme, Immunoneutralisation, 297
- Radioimmunoassay, Helodermin-like peptide,

- Adrenal medulla, Immunocytochemistry, High performance liquid chromatography, 27
- Radioimmunoassay, Tachykinin, Neurokinin, Substance P, Substance K, Neuromedin K, 93
- Rat brain, Magnesium ion, Somatostatin binding sites, Regional distribution, GTP, 225
- Rat gastric mucosa, Hemorrhagic lesion formation, Gastric mucosal protection, Gastric mucosal blood flow, Primary afferent neuron, 35
- Rat, Vasoactive intestinal polypeptide, Mesenteric artery, Autoradiography, Receptor, 9
- Rats, [Leu]enkephalin, DPen2-[DPen5]enkephalin, Automated avoidance conditioning, 323
- Receptor, Epidermal growth factor, Fetal, Human, Kidney, Liver, Lung, Placenta, 1
- Receptor, Vasoactive intestinal polypeptide, Mesenteric artery, Rat, Autoradiography, 9
- Regional distribution, Magnesium ion, Somatostatin binding sites, Rat brain, GTP, 225
- Regulation of neuropeptide, Adrenal medulla, Neuropeptide, Biosynthesis, 191
- Renal blood flow, Galanin, Glomerular fitration rate, Kidney, Vasoactive agents, 277
- Smooth muscle, Amidation, Motility, Peptide precursor, Vasoactive intestinal peptide, 235
- Sodium deoxycholate, Cholera toxin, Escherichia coli heat stable toxin, Enteric nervous system, Neurotensin, Neurotensin-like immunoreactivity, 241
- Somatostatin binding sites, Magnesium ion, Regional distribution, Rat brain, GTP, 225
- Spinal cord, Opioid peptides, Proenkephalin A, Phosphorylation, Glycosylation, Adrenal, Ileum. 313
- Substance P, Tachykinin, Neurokinin, Substance K, Neuromedin K, Radioimmunoassay, 93
- Substance K, Tachykinin, Neurokinin, Substance P, Neuromedin K, Radioimmunoassay, 93
- Tachykinin, Neurokinin, Substance P, Substance K, Neuromedin K, Radioimmunoassay, 93
- Vasoactive intestinal polypeptide, Mesenteric artery, Rat, Autoradiography, Receptor, 9
- Vasoactive intestinal peptide, Helodermin, Human SUP-T1 lymphoma, 117
- Vasoactive intestinal peptide, Amidation, Motility, Peptide precursor, Smooth muscle, 235
- Vasoactive agents, Galanin, Renal blood flow, Glomerular filtration rate, Kidney, 277

